	Application No.	Applicant(s)
Notice of Allowability	10/557,852	YAMAGUCHI ET AL.
	Examiner	Art Unit
	Robert A. Coker	3616
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to application of 12/21/2005.		
2. The allowed claim(s) is/are 1 and 2.		
 3.		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	Patent Application
2. Notice of Praftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	• •
	Paper No./Mail Da	te
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>11/21/2005</u> 	7. 🛛 Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
	9. 🗌 Other	
	•	

Application/Control Number: 10/557,852

Art Unit: 3616

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Ricardo Unikel on August 31, 2007.

The application has been amended as follows:

In claim 2, line 2, "the lift cylinder" has been change to --a lift cylinder--.

In claim 2, line 8, "the lift arm" has been changed to --a lift arm--.

Reasons for Allowance

1. The following is an examiner's statement of reasons for allowance: A PTO casing which incorporates a PTO transmission mechanism therein, mounted detachably on a rear potion of a transmission casing, such that the front portion of the PTO casing is located inside of the transmission casing defines over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/557,852

Art Unit: 3616

Conclusion

Page 3

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Robert A. Coker whose telephone number is 571-272-

8514. The examiner can normally be reached on Monday thru Friday, 8.30 a.m.-5:00

p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Paul Dickson can be reached on 571-272-6669. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Robert A Coker

Examiner

Art Unit 3616

PAUL N. DICKSON

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 3600